

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

PROK DV'S PROTECTIVE RELAYS AND DIGITAL PANEL METERS

ORDERING CODE	DESCRIPTION	MOUNTING	Rate
EARTH LEAKAGE RELAY WITH CBCT			
EL-01-1C-T40-F	1-8 Amps,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,010.00
EL-01-1C-T65-F	1-8 Amps,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,010.00
EL-01-1C-T100-F	1-8 Amps,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,420.00
EL-01-1C-T150-F	1-8 Amps,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	4,830.00
EL-01-1C-T200-F	1-8 Amps,1C/O,CBCT TAPE WOUND 200 MM Inner dia	FLUSH	5,180.00
EL-01-1C-T250-F	1-8 Amps,1C/O,CBCT TAPE WOUND 250 MM Inner dia	FLUSH	5,590.00
EL-01-1C-T300-F	1-8 Amps,1C/O,CBCT TAPE WOUND 300 MM Inner dia	FLUSH	6,190.00
EL-01-1C-R40-F	1-8 Amps,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,270.00
EL-01-1C-R65-F	1-8 Amps,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,270.00
EL-01-1C-R100-F	1-8 Amps,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	6,690.00
EL-01-1C-R150-F	1-8 Amps,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,440.00
EL-01-1C-R200-F	1-8 Amps,1C/O,CBCT RESIN CAST 200 MM Inner dia	FLUSH	8,200.00
EL-01-1C-R250-F	1-8 Amps,1C/O,CBCT RESIN CAST 250 MM Inner dia	FLUSH	8,610.00
EL-01-1C-R300-F	1-8 Amps,1C/O,CBCT RESIN CAST 300 MM Inner dia	FLUSH	9,210.00
DEL-01-2C-T40-D	1-8 Amps,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,460.00
DEL-01-2C-T65-D	1-8 Amps,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,460.00
DEL-01-2C-T100-D	1-8 Amps,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	4,870.00
DEL-01-2C-T150-D	1-8 Amps,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,290.00
DEL-01-2C-T200-D	1-8 Amps,2C/O,CBCT TAPE WOUND 200 MM Inner dia	DIN	5,630.00
DEL-01-2C-T250-D	1-8 Amps,2C/O,CBCT TAPE WOUND 250 MM Inner dia	DIN	6,040.00
DEL-01-2C-T300-D	1-8 Amps,2C/O,CBCT TAPE WOUND 300 MM Inner dia	DIN	6,650.00
DEL-01-2C-R40-D	1-8 Amps,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	6,730.00
DEL-01-2C-R65-D	1-8 Amps,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	6,730.00
DEL-01-2C-R100-D	1-8 Amps,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,140.00
DEL-01-2C-R150-D	1-8 Amps,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	7,890.00
DEL-01-2C-R200-D	1-8 Amps,2C/O,CBCT RESIN CAST 200 MM Inner dia	DIN	8,650.00
DEL-01-2C-R250-D	1-8 Amps,2C/O,CBCT RESIN CAST 250 MM Inner dia	DIN	9,060.00
DEL-01-2C-R300-D	1-8 Amps,2C/O,CBCT RESIN CAST 300 MM Inner dia	DIN	9,670.00
EL-02-1C-T40-F	30mA - 300 mA,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,310.00
EL-02-1C-T65-F	30mA - 300 mA,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,310.00
EL-02-1C-T100-F	30mA - 300mA,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,720.00
EL-02-1C-T150-F	30mA - 300mA,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	5,140.00
EL-02-1C-R40-F	30mA - 300 mA,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,580.00
EL-02-1C-R65-F	30mA - 300 mA,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,580.00
EL-02-1C-R100-F	30mA - 300mA,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	7,140.00
EL-02-1C-R150-F	30mA - 300mA,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,740.00
DEL-02-2C-T40-D	30mA - 300 mA,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,760.00
DEL-02-2C-T65-D	30mA - 300 mA,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,760.00
DEL-02-2C-T100-D	30mA - 300mA,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	5,180.00
DEL-02-2C-T150-D	30mA - 300mA,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,590.00
DEL-02-2C-R40-D	30mA - 300 mA,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	7,030.00
DEL-02-2C-R65-D	30mA - 300 mA,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	7,030.00
DEL-02-2C-R100-D	30mA - 300mA,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,440.00
DEL-02-2C-R150-D	30mA - 300mA,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	8,200.00
EL-03-1C-T40-F	300mA - 3000 mA,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,010.00
EL-03-1C-T65-F	300mA - 3000 mA,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,010.00
EL-03-1C-T100-F	300mA - 3000mA,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,420.00
EL-03-1C-T150-F	300mA - 3000mA,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	4,830.00
EL-03-1C-T200-F	300mA - 3000mA,1C/O,CBCT TAPE WOUND 200 MM Inner dia	FLUSH	5,180.00
EL-03-1C-T250-F	300mA - 3000mA,1C/O,CBCT TAPE WOUND 250 MM Inner dia	FLUSH	5,590.00
EL-03-1C-T300-F	300mA - 3000mA,1C/O,CBCT TAPE WOUND 300 MM Inner dia	FLUSH	6,190.00

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

EL-03-1C-R40-F	300mA - 3000 mA,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,270.00
EL-03-1C-R65-F	300mA - 3000 mA,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,270.00
EL-03-1C-R100-F	300mA - 3000mA,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	6,690.00
EL-03-1C-R150-F	300mA - 3000mA,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,440.00
EL-03-1C-R200-F	300mA - 3000mA,1C/O,CBCT RESIN CAST 200 MM Inner dia	FLUSH	8,200.00
EL-03-1C-R250-F	300mA - 3000mA,1C/O,CBCT RESIN CAST 250 MM Inner dia	FLUSH	8,610.00
EL-03-1C-R300-F	300mA - 3000mA,1C/O,CBCT RESIN CAST 300 MM Inner dia	FLUSH	9,210.00
DEL-03-2C-T40-D	300mA - 3000 mA,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,460.00
DEL-03-2C-T65-D	300mA - 3000 mA,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,460.00
DEL-03-2C-T100-D	300mA - 3000mA,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	4,870.00
DEL-03-2C-T150-D	300mA - 3000mA,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,290.00
DEL-03-2C-T200-D	300mA - 3000mA,2C/O,CBCT TAPE WOUND 200 MM Inner dia	DIN	5,630.00
DEL-03-2C-T250-D	300mA - 3000mA,2C/O,CBCT TAPE WOUND 250 MM Inner dia	DIN	6,040.00
DEL-03-2C-T300-D	300mA - 3000mA,2C/O,CBCT TAPE WOUND 300 MM Inner dia	DIN	6,650.00
DEL-03-2C-R40-D	300mA - 3000 mA,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	6,730.00
DEL-03-2C-R65-D	300mA - 3000 mA,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	6,730.00
DEL-03-2C-R100-D	300mA - 3000mA,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,140.00
DEL-03-2C-R150-D	300mA - 3000mA,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	7,890.00
DEL-03-2C-R200-D	300mA - 3000mA,2C/O,CBCT RESIN CAST 200 MM Inner dia	DIN	8,650.00
DEL-03-2C-R250-D	300mA - 3000mA,2C/O,CBCT RESIN CAST 250 MM Inner dia	DIN	9,060.00
DEL-03-2C-R300-D	300mA - 3000mA,2C/O,CBCT RESIN CAST 300 MM Inner dia	DIN	9,670.00
EL-04-1C-T40-F	1-4 Amps,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,010.00
EL-04-1C-T65-F	1-4 Amps,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,010.00
EL-04-1C-T100-F	1-4 Amps,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,420.00
EL-04-1C-T150-F	1-4 Amps,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	4,830.00
EL-04-1C-T200-F	1-4 Amps,1C/O,CBCT TAPE WOUND 200 MM Inner dia	FLUSH	5,180.00
EL-04-1C-T250-F	1-4 Amps,1C/O,CBCT TAPE WOUND 250 MM Inner dia	FLUSH	5,590.00
EL-04-1C-T300-F	1-4 Amps,1C/O,CBCT TAPE WOUND 300 MM Inner dia	FLUSH	6,190.00
EL-04-1C-R40-F	1-4 Amps,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,270.00
EL-04-1C-R65-F	1-4 Amps,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,270.00
EL-04-1C-R100-F	1-4 Amps,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	6,690.00
EL-04-1C-R150-F	1-4 Amps,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,440.00
EL-04-1C-R200-F	1-4 Amps,1C/O,CBCT RESIN CAST 200 MM Inner dia	FLUSH	8,200.00
EL-04-1C-R250-F	1-4 Amps,1C/O,CBCT RESIN CAST 250 MM Inner dia	FLUSH	8,610.00
EL-04-1C-R300-F	1-4 Amps,1C/O,CBCT RESIN CAST 300 MM Inner dia	FLUSH	9,210.00
DEL-04-2C-T40-D	1-4 Amps,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,460.00
DEL-04-2C-T65-D	1-4 Amps,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,460.00
DEL-04-2C-T100-D	1-4 Amps,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	4,870.00
DEL-04-2C-T150-D	1-4 Amps,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,290.00
DEL-04-2C-T200-D	1-4 Amps,2C/O,CBCT TAPE WOUND 200 MM Inner dia	DIN	5,630.00
DEL-04-2C-T250-D	1-4 Amps,2C/O,CBCT TAPE WOUND 250 MM Inner dia	DIN	6,040.00
DEL-04-2C-T300-D	1-4 Amps,2C/O,CBCT TAPE WOUND 300 MM Inner dia	DIN	6,650.00
DEL-04-2C-R40-D	1-4 Amps,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	6,730.00
DEL-04-2C-R65-D	1-4 Amps,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	6,730.00
DEL-04-2C-R100-D	1-4 Amps,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,140.00
DEL-04-2C-R150-D	1-4 Amps,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	7,890.00
DEL-04-2C-R200-D	1-4 Amps,2C/O,CBCT RESIN CAST 200 MM Inner dia	DIN	8,650.00
DEL-04-2C-R250-D	1-4 Amps,2C/O,CBCT RESIN CAST 250 MM Inner dia	DIN	9,060.00
DEL-04-2C-R300-D	1-4 Amps,2C/O,CBCT RESIN CAST 300 MM Inner dia	DIN	9,670.00
EL-05-1C-T40-F	30mA - 3000 mA,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,310.00
EL-05-1C-T65-F	30mA - 3000 mA,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,310.00
EL-05-1C-T100-F	30mA - 3000mA,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,720.00
EL-05-1C-T150-F	30mA - 3000mA,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	5,140.00
EL-05-1C-R40-F	30mA - 3000 mA,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,580.00
EL-05-1C-R65-F	30mA - 3000 mA,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,580.00
EL-05-1C-R100-F	30mA - 3000mA,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	7,140.00
EL-05-1C-R150-F	30mA - 3000mA,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,740.00

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

DEL-05-2C-T40-D	30mA - 3000 mA,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,760.00
DEL-05-2C-T65-D	30mA - 3000 mA,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,760.00
DEL-05-2C-T100-D	30mA - 3000mA,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	5,180.00
DEL-05-2C-T150-D	30mA - 3000mA,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,590.00
DEL-05-2C-R40-D	30mA - 3000 mA,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	7,030.00
DEL-05-2C-R65-D	30mA - 3000 mA,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	7,030.00
DEL-05-2C-R100-D	30mA - 3000mA,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,440.00
DEL-05-2C-R150-D	30mA - 3000mA,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	8,200.00
EL-06-1C-T40-F	1-10 Amps,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,010.00
EL-06-1C-T65-F	1-10 Amps,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,010.00
EL-06-1C-T100-F	1-10 Amps,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,420.00
EL-06-1C-T150-F	1-10 Amps,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	4,830.00
EL-06-1C-T200-F	1-10 Amps,1C/O,CBCT TAPE WOUND 200 MM Inner dia	FLUSH	5,180.00
EL-06-1C-T250-F	1-10 Amps,1C/O,CBCT TAPE WOUND 250 MM Inner dia	FLUSH	5,590.00
EL-06-1C-T300-F	1-10 Amps,1C/O,CBCT TAPE WOUND 300 MM Inner dia	FLUSH	6,190.00
EL-06-1C-R40-F	1-10 Amps,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,270.00
EL-06-1C-R65-F	1-10 Amps,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,270.00
EL-06-1C-R100-F	1-10 Amps,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	6,690.00
EL-06-1C-R150-F	1-10 Amps,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,440.00
EL-06-1C-R200-F	1-10 Amps,1C/O,CBCT RESIN CAST 200 MM Inner dia	FLUSH	8,200.00
EL-06-1C-R250-F	1-10 Amps,1C/O,CBCT RESIN CAST 250 MM Inner dia	FLUSH	8,610.00
EL-06-1C-R300-F	1-10 Amps,1C/O,CBCT RESIN CAST 300 MM Inner dia	FLUSH	9,210.00
DEL-06-2C-T40-D	1-10 Amps,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,460.00
DEL-06-2C-T65-D	1-10 Amps,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,460.00
DEL-06-2C-T100-D	1-10 Amps,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	4,870.00
DEL-06-2C-T150-D	1-10 Amps,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,290.00
DEL-06-2C-T200-D	1-10 Amps,2C/O,CBCT TAPE WOUND 200 MM Inner dia	DIN	5,630.00
DEL-06-2C-T250-D	1-10 Amps,2C/O,CBCT TAPE WOUND 250 MM Inner dia	DIN	6,040.00
DEL-06-2C-T300-D	1-10 Amps,2C/O,CBCT TAPE WOUND 300 MM Inner dia	DIN	6,650.00
DEL-06-2C-R40-D	1-10 Amps,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	6,730.00
DEL-06-2C-R65-D	1-10 Amps,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	6,730.00
DEL-06-2C-R100-D	1-10 Amps,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,140.00
DEL-06-2C-R150-D	1-10 Amps,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	7,890.00
DEL-06-2C-R200-D	1-10 Amps,2C/O,CBCT RESIN CAST 200 MM Inner dia	DIN	8,650.00
DEL-06-2C-R250-D	1-10 Amps,2C/O,CBCT RESIN CAST 250 MM Inner dia	DIN	9,060.00
DEL-06-2C-R300-D	1-10 Amps,2C/O,CBCT RESIN CAST 300 MM Inner dia	DIN	9,670.00
EL-07-1C-T40-F	4-12 Amps,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,010.00
EL-07-1C-T65-F	4-12 Amps,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,010.00
EL-07-1C-T100-F	4-12 Amps,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,420.00
EL-07-1C-T150-F	4-12 Amps,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	4,830.00
EL-07-1C-T200-F	4-12 Amps,1C/O,CBCT TAPE WOUND 200 MM Inner dia	FLUSH	5,180.00
EL-07-1C-T250-F	4-12 Amps,1C/O,CBCT TAPE WOUND 250 MM Inner dia	FLUSH	5,590.00
EL-07-1C-T300-F	4-12 Amps,1C/O,CBCT TAPE WOUND 300 MM Inner dia	FLUSH	6,190.00
EL-07-1C-R40-F	4-12 Amps,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,270.00
EL-07-1C-R65-F	4-12 Amps,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,270.00
EL-07-1C-R100-F	4-12 Amps,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	6,690.00
EL-07-1C-R150-F	4-12 Amps,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,440.00
EL-07-1C-R200-F	4-12 Amps,1C/O,CBCT RESIN CAST 200 MM Inner dia	FLUSH	8,200.00
EL-07-1C-R250-F	4-12 Amps,1C/O,CBCT RESIN CAST 250 MM Inner dia	FLUSH	8,610.00
EL-07-1C-R300-F	4-12 Amps,1C/O,CBCT RESIN CAST 300 MM Inner dia	FLUSH	9,210.00
DEL-07-2C-T40-D	4-12 Amps,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,460.00
DEL-07-2C-T65-D	4-12 Amps,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,460.00
DEL-07-2C-T100-D	4-12 Amps,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	4,870.00
DEL-07-2C-T150-D	4-12 Amps,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,290.00
DEL-07-2C-T200-D	4-12 Amps,2C/O,CBCT TAPE WOUND 200 MM Inner dia	DIN	5,630.00
DEL-07-2C-T250-D	4-12 Amps,2C/O,CBCT TAPE WOUND 250 MM Inner dia	DIN	6,040.00
DEL-07-2C-T300-D	4-12 Amps,2C/O,CBCT TAPE WOUND 300 MM Inner dia	DIN	6,650.00

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

DEL-07-2C-R40-D	4-12 Amps,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	6,730.00
DEL-07-2C-R65-D	4-12 Amps,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	6,730.00
DEL-07-2C-R100-D	4-12 Amps,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,140.00
DEL-07-2C-R150-D	4-12 Amps,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	7,890.00
DEL-07-2C-R200-D	4-12 Amps,2C/O,CBCT RESIN CAST 200 MM Inner dia	DIN	8,650.00
DEL-07-2C-R250-D	4-12 Amps,2C/O,CBCT RESIN CAST 250 MM Inner dia	DIN	9,060.00
DEL-07-2C-R300-D	4-12 Amps,2C/O,CBCT RESIN CAST 300 MM Inner dia	DIN	9,670.00
ELSPL-52-1C-T40-F	50mA - 2000 mA,1C/O,CBCT TAPE WOUND 40 MM Inner dia	FLUSH	4,310.00
ELSPL-52-1C-T65-F	50mA - 2000 mA,1C/O,CBCT TAPE WOUND 65 MM Inner dia	FLUSH	4,310.00
ELSPL-52-1C-T100-F	50mA - 2000mA,1C/O,CBCT TAPE WOUND 100 MM Inner dia	FLUSH	4,720.00
ELSPL-52-1C-T150-F	50mA - 2000mA,1C/O,CBCT TAPE WOUND 150 MM Inner dia	FLUSH	5,140.00
ELSPL-52-1C-R40-F	50mA - 2000 mA,1C/O,CBCT RESIN CAST 40 MM Inner dia	FLUSH	6,580.00
ELSPL-52-1C-R65-F	50mA - 2000 mA,1C/O,CBCT RESIN CAST 65 MM Inner dia	FLUSH	6,580.00
ELSPL-52-1C-R100-F	50mA - 2000mA,1C/O,CBCT RESIN CAST 100 MM Inner dia	FLUSH	7,140.00
ELSPL-52-1C-R150-F	50mA - 2000mA,1C/O,CBCT RESIN CAST 150 MM Inner dia	FLUSH	7,740.00
DELSPL-52-2C-T40-D	50mA - 2000 mA,2C/O,CBCT TAPE WOUND 40 MM Inner dia	DIN	4,760.00
DELSPL-52-2C-T65-D	50mA - 2000 mA,2C/O,CBCT TAPE WOUND 65 MM Inner dia	DIN	4,760.00
DELSPL-52-2C-T100-D	50mA - 2000mA,2C/O,CBCT TAPE WOUND 100 MM Inner dia	DIN	5,180.00
DELSPL-52-2C-T150-D	50mA - 2000mA,2C/O,CBCT TAPE WOUND 150 MM Inner dia	DIN	5,590.00
DELSPL-52-2C-R40-D	50mA - 2000 mA,2C/O,CBCT RESIN CAST 40 MM Inner dia	DIN	7,030.00
DELSPL-52-2C-R65-D	50mA - 2000 mA,2C/O,CBCT RESIN CAST 65 MM Inner dia	DIN	7,030.00
DELSPL-52-2C-R100-D	50mA - 2000mA,2C/O,CBCT RESIN CAST 100 MM Inner dia	DIN	7,440.00
DELSPL-52-2C-R150-D	50mA - 2000mA,2C/O,CBCT RESIN CAST 150 MM Inner dia	DIN	8,200.00

Note : 1. For Flush Mounting Relay , 2 C/O contacts Rs.412.00 extra on the above prices

2. Rectangular type CBCT can be tailored to customer specification suitable for Bus Bar or Cable entry-PRICE ON REQUEST

3. For DC aux.supply - price on request

4. Mention Aux.Supply required : 110 Volts OR 230 Volts OR 380 Volts OR 415 Volts OR 550 Volts AC, 50 HZ

MICROPROCESSOR BASED EARTH LEAKAGE RELAY WITH MOULDED CASE / RESIN CAST CBCT

	Range : 300mA to 12000 mA , trip time delay 0.00 to 5.00 sec, with backlit LCD display, aux.supply 85-275 Volts AC/DC		
	MC= Moulded case CBCT / RC = Resin Cast CBCT		
MPPEL-01-2C-MC-40-F-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 40 mm Inner Dia,aux.85-275	FLUSH	5,600.00
MPPEL-01-2C-MC-65-F-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 65 mm Inner Dia,aux.85-275	FLUSH	5,600.00
MPPEL-01-2C-MC-100-F-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 100 mm Inner Dia,aux.85-275	FLUSH	6,180.00
MPPEL-01-2C-MC-150-F-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 150 mm Inner Dia,aux.85-275	FLUSH	6,770.00
MPPEL-01-2C-MC-200-F-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 200 mm Inner Dia,aux.85-275	FLUSH	7,240.00
MPPEL-01-2C-MC-250-F-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 250 mm Inner Dia,aux.85-275	FLUSH	7,830.00
MPPEL-01-2C-MC-300-F-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 300 mm Inner Dia,aux.85-275	FLUSH	8,660.00
DPEL-01-2C-MC-40-D-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 40 mm Inner Dia,aux.85-275	DIN	6,230.00
DMPPEL-01-2C-MC-65-D-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 65 mm Inner Dia,aux.85-275	DIN	6,230.00
DMPPEL-01-2C-MC-100-D-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 100 mm Inner Dia,aux.85-275	DIN	6,820.00
DMPPEL-01-2C-MC-150-D-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 150 mm Inner Dia,aux.85-275	DIN	7,400.00
DMPPEL-01-2C-MC-200-D-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 200 mm Inner Dia,aux.85-275	DIN	7,880.00
DMPPEL-01-2C-MC-250-D-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 250 mm Inner Dia,aux.85-275	DIN	8,460.00
DMPPEL-01-2C-MC-300-D-85-275	300mA - 12000 mA,2C/O,Moulded Case CBCT 300 mm Inner Dia,aux.85-275	DIN	9,310.00
MPPEL-01-2C-RC-40-F-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 40 mm Inner Dia,aux.85-275	FLUSH	8,770.00
MPPEL-01-2C-RC-65-F-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 65 mm Inner Dia,aux.85-275	FLUSH	8,770.00
MPPEL-01-2C-RC-100-F-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 100 mm Inner Dia,aux.85-275	FLUSH	9,350.00
MPPEL-01-2C-RC-150-F-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 150 mm Inner Dia,aux.85-275	FLUSH	10,410.00
MPPEL-01-2C-RC-200-F-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 200 mm Inner Dia,aux.85-275	FLUSH	11,460.00
MPPEL-01-2C-RC-250-F-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 250 mm Inner Dia,aux.85-275	FLUSH	12,060.00
MPPEL-01-2C-RC-300-F-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 300 mm Inner Dia,aux.85-275	FLUSH	12,890.00
DPEL-01-2C-RC-40-D-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 40 mm Inner Dia,aux.85-275	DIN	9,410.00
DMPPEL-01-2C-RC-65-D-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 65 mm Inner Dia,aux.85-275	DIN	9,410.00

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

DMPEL-01-2C-RC-100-D-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 100 mm Inner Dia,aux.85-275	DIN	10,000.00
DMPEL-01-2C-RC-150-D-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 150 mm Inner Dia,aux.85-275	DIN	11,050.00
DMPEL-01-2C-RC-200-D-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 200 mm Inner Dia,aux.85-275	DIN	12,110.00
DMPEL-01-2C-RC-250-D-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 250 mm Inner Dia,aux.85-275	DIN	12,690.00
DMPEL-01-2C-RC-300-D-85-275	300mA - 12000 mA,2C/O,Resin Cast CBCT 300 mm Inner Dia,aux.85-275	DIN	13,540.00
Range : 30mA to 3000 mA , trip time delay 0.00 to 5.00 sec, with backlit LCD display, aux.supply of 85-275 Volts AC/DC			
MC= Moulded case CBCT / RC = Resin Cast CBCT			
MPEL-02-2C-MC-40-F-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 40 mm Inner Dia,aux.85-275	FLUSH	6,030.00
MPEL-02-2C-MC-65-F-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 65 mm Inner Dia,aux.85-275	FLUSH	6,030.00
MPEL-02-2C-MC-100-F-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 100 mm Inner Dia,aux.85-275	FLUSH	6,600.00
MPEL-02-2C-MC-150-F-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 150 mm Inner Dia,aux.85-275	FLUSH	7,190.00
DPEL-02-2C-MC-40-D-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 40 mm Inner Dia,aux.85-275	DIN	6,660.00
DMPEL-02-2C-MC-65-D-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 65 mm Inner Dia,aux.85-275	DIN	6,660.00
DMPEL-02-2C-MC-100-D-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 100 mm Inner Dia,aux.85-275	DIN	7,240.00
DMPEL-02-2C-MC-150-D-85-275	30mA - 3000 mA,2C/O,Moulded Case CBCT 150 mm Inner Dia,aux.85-275	DIN	7,830.00
MPEL-02-2C-RC-40-F-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 40 mm Inner Dia,aux.85-275	FLUSH	9,200.00
MPEL-02-2C-RC-65-F-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 65 mm Inner Dia,aux.85-275	FLUSH	9,200.00
MPEL-02-2C-RC-100-F-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 100 mm Inner Dia,aux.85-275	FLUSH	10,000.00
MPEL-02-2C-RC-150-F-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 150 mm Inner Dia,aux.85-275	FLUSH	10,830.00
DPEL-02-2C-RC-40-D-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 40 mm Inner Dia,aux.85-275	DIN	9,830.00
DMPEL-02-2C-RC-65-D-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 65 mm Inner Dia,aux.85-275	DIN	9,830.00
DMPEL-02-2C-RC-100-D-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 100 mm Inner Dia,aux.85-275	DIN	10,410.00
DMPEL-02-2C-RC-150-D-85-275	30mA - 3000 mA,2C/O,Resin Cast CBCT 150 mm Inner Dia,aux.85-275	DIN	11,460.00
Note :For 12 Volts and 24 Volts DC aux.supply price are extra at Rs.1373.00			
For RS 485 port price are extra at Rs. 1373.00			
Rectangular Size CBCT are available only in MPEL-01 / DMPEL-01 with Tape wound type and PRICE ON REQUEST			

EARTH FAULT RELAY - Instantaneous [Trip time < 100 mSEC]

EFSP-0-1C-F-5	10%-80%, 1 C/O, Sec 5 Amps,	FLUSH	4,570.00
EFSP-0-1C-F-1	10%-80%, 1 C/O, Sec 1 Amps,	FLUSH	4,570.00
EFSP-0-2C-F-5	10%-80%, 2 C/O, Sec 5 Amps,	FLUSH	4,570.00
EFSP-0-2C-F-1	10%-80%, 2 C/O, Sec 1 Amps,	FLUSH	4,570.00
DEFSP-0-2C-D-5	10%-80%, 2 C/O, Sec 5 Amps,	DIN	5,520.00
DEFSP-0-2C-D-1	10%-80%, 2 C/O, Sec 1 Amps,	DIN	5,520.00

- Note : 1. For DC aux.supply - price on request
 2. Mention Aux.Supply required : 110 Volts OR 230 Volts OR 380 Volts OR 415 Volts OR 550 Volts AC, 50 HZ
 3. For Flush Mounting Relay , 2 C/O contacts Rs.412.00 extra on the above prices

EARTH FAULT RELAY - Definite trip time

EFSP-1-1C-F-5	10%-80%, 1 C/O, Sec 5 Amps, 0.15 sec to 3.0 sec	FLUSH	4,980.00
EFSP-1-1C-F-1	10%-80%, 1 C/O, Sec 1 Amps, 0.15 sec to 3.0 sec	FLUSH	4,980.00
EFSP-1-2C-F-5	10%-80%, 2 C/O, Sec 5 Amps, 0.15 sec to 3.0 sec	FLUSH	4,980.00
EFSP-1-2C-F-1	10%-80%, 2 C/O, Sec 1 Amps, 0.15 sec to 3.0 sec	FLUSH	4,980.00
DEFSP-1-2C-D-5	10%-80%, 2 C/O, Sec 5 Amps, 0.15 sec to 3.0 sec	DIN	5,970.00
DEFSP-1-2C-D-1	10%-80%, 2 C/O, Sec 1 Amps, 0.15 sec to 3.0 sec	DIN	5,970.00

- Note : 1. For DC aux.supply - price on request
 2. Mention Aux.Supply required :110 Volts OR 230 Volts OR 380 Volts OR 415 Volts OR 550 Volts AC, 50 HZ
 3. For Flush Mounting Relay , 2 C/O contacts Rs.412.00 extra on the above prices

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

EARTH FAULT RELAY WITH C.B.C.T. - Instantaneous trip time

EFSP-0-1C-T40-F-1	10%-80%, 1 C/O, TAPE WOUND CBCT 40 mm.I.D. , Sec 1 Amp,	FLUSH	6,080.00
EFSP-0-1C-T65-F-1	10%-80%, 1 C/O, TAPE WOUND CBCT 65 mm I.D., Sec 1 Amp,	FLUSH	6,080.00
EFSP-0-1C-T100-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 100 mm I.D., Sec 1 Amp,	FLUSH	6,540.00
EFSP-0-1C-T150-F-1	10%-80%, 1 C/O, TAPE WOUND CBCT 150 mm I.D., Sec 1 Amp,	FLUSH	6,990.00
EFSP-0-1C-T200-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 200 mm I.D., Sec 1 Amp,	FLUSH	7,440.00
EFSP-0-1C-T250-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 250 mm I.D., Sec 1 Amp,	FLUSH	7,890.00
EFSP-0-1C-T300-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 300 mm I.D., Sec 1 Amp,	FLUSH	8,350.00
EFSP-0-1C-R40-F-1	10%-80%, 1 C/O, RESIN CAST CBCT 40 mm.I.D. , Sec 1 Amp,	FLUSH	8,350.00
EFSP-0-1C-R65-F-1	10%-80%, 1 C/O, RESIN CAST CBCT 65 mm I.D., Sec 1 Amp,	FLUSH	8,350.00
EFSP-0-1C-R100-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 100 mm I.D., Sec 1 Amp,	FLUSH	8,800.00
EFSP-0-1C-R150-F-1	10%-80%, 1 C/O, RESIN CAST CBCT 150 mm I.D., Sec 1 Amp,	FLUSH	9,250.00
EFSP-0-1C-R200-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 200 mm I.D., Sec 1 Amp,	FLUSH	10,460.00
EFSP-0-1C-R250-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 250 mm I.D., Sec 1 Amp,	FLUSH	10,920.00
EFSP-0-1C-R300-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 300 mm I.D., Sec 1 Amp,	FLUSH	11,370.00
DEFSP-0-2C-T40-F-1	10%-80%, 2 C/O, TAPE WOUND CBCT 40 mm.I.D. , Sec 1 Amp,	DIN	6,840.00
DEFSP-0-2C-T65-F-1	10%-80%, 2 C/O, TAPE WOUND CBCT 65 mm I.D., Sec 1 Amp,	DIN	6,840.00
DEFSP-0-2C-T100-F-1	10%-80%, 2 C/O,TAPE WOUND CBCT 100 mm I.D., Sec 1 Amp,	DIN	7,290.00
DEFSP-0-2C-T150-F-1	10%-80%, 2 C/O, TAPE WOUND CBCT 150 mm I.D., Sec 1 Amp,	DIN	7,740.00
DEFSP-0-2C-T200-F-1	10%-80%, 2 C/O,TAPE WOUND CBCT 200 mm I.D., Sec 1 Amp,	DIN	8,200.00
DEFSP-0-2C-T250-F-1	10%-80%, 2 C/O,TAPE WOUND CBCT 250 mm I.D., Sec 1 Amp,	DIN	8,650.00
DEFSP-0-2C-T300-F-1	10%-80%, 2 C/O,TAPE WOUND CBCT 300 mm I.D., Sec 1 Amp,	DIN	9,100.00
DEFSP-0-2C-R40-F-1	10%-80%, 2 C/O, RESIN CAST CBCT 40 mm.I.D. , Sec 1 Amp,	DIN	9,100.00
DEFSP-0-2C-R65-F-1	10%-80%, 2 C/O, RESIN CAST CBCT 65 mm I.D., Sec 1 Amp,	DIN	9,100.00
DEFSP-0-2C-R100-F-1	10%-80%, 2 C/O,RESIN CAST CBCT 100 mm I.D., Sec 1 Amp,	DIN	9,560.00
DEFSP-0-2C-R150-F-1	10%-80%, 2 C/O, RESIN CAST CBCT 150 mm I.D., Sec 1 Amp,	DIN	10,010.00
DEFSP-0-2C-R200-F-1	10%-80%, 2 C/O,RESIN CAST CBCT 200 mm I.D., Sec 1 Amp,	DIN	11,220.00
DEFSP-0-2C-R250-F-1	10%-80%, 2 C/O,RESIN CAST CBCT 250 mm I.D., Sec 1 Amp,	DIN	11,670.00
DEFSP-0-2C-R300-F-1	10%-80%, 2 C/O,RESIN CAST CBCT 300 mm I.D., Sec 1 Amp,	DIN	12,120.00

Note : 1. For DC aux.supply - price on request

2. Mention Aux.Supply required : 110 Volts OR 230 Volts OR 380 Volts OR 415 Volts OR 550 Volts AC, 50 HZ

3. For Flush Mounting Relay , 2 C/O contacts Rs.412.00 extra on the above prices

4. Rectangular type CBCT can be tailored to customer specification suitable for Bus Bar or Cable entry-PRICE ON REQUEST

EARTH FAULT RELAY WITH C.B.C.T. - Definite trip time

0.15 sec to 3.0 sec

EFSP-1-1C-T40-F-1	10%-80%, 1 C/O, TAPE WOUND CBCT 40 mm.I.D. , Sec 1 Amp,	FLUSH	6,540.00
EFSP-1-1C-T65-F-1	10%-80%, 1 C/O, TAPE WOUND CBCT 65 mm I.D., Sec 1 Amp,	FLUSH	6,540.00
EFSP-1-1C-T100-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 100 mm I.D., Sec 1 Amp,	FLUSH	6,990.00
EFSP-1-1C-T150-F-1	10%-80%, 1 C/O, TAPE WOUND CBCT 150 mm I.D., Sec 1 Amp,	FLUSH	7,440.00
EFSP-1-1C-T200-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 200 mm I.D., Sec 1 Amp,	FLUSH	7,890.00
EFSP-1-1C-T250-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 250 mm I.D., Sec 1 Amp,	FLUSH	8,350.00
EFSP-1-1C-T300-F-1	10%-80%, 1 C/O,TAPE WOUND CBCT 300 mm I.D., Sec 1 Amp,	FLUSH	8,800.00
EFSP-1-1C-R40-F-1	10%-80%, 1 C/O, RESIN CAST CBCT 40 mm.I.D. , Sec 1 Amp,	FLUSH	8,800.00
EFSP-1-1C-R65-F-1	10%-80%, 1 C/O, RESIN CAST CBCT 65 mm I.D., Sec 1 Amp,	FLUSH	8,800.00
EFSP-1-1C-R100-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 100 mm I.D., Sec 1 Amp,	FLUSH	9,250.00
EFSP-1-1C-R150-F-1	10%-80%, 1 C/O, RESIN CAST CBCT 150 mm I.D., Sec 1 Amp,	FLUSH	9,710.00
EFSP-1-1C-R200-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 200 mm I.D., Sec 1 Amp,	FLUSH	10,920.00
EFSP-1-1C-R250-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 250 mm I.D., Sec 1 Amp,	FLUSH	11,370.00
EFSP-1-1C-R300-F-1	10%-80%, 1 C/O,RESIN CAST CBCT 300 mm I.D., Sec 1 Amp,	FLUSH	11,820.00
DEFSP-1-2C-T40-F-1	10%-80%, 2 C/O, TAPE WOUND CBCT 40 mm.I.D. , Sec 1 Amp,	DIN	7,290.00
DEFSP-1-2C-T65-F-1	10%-80%, 2 C/O, TAPE WOUND CBCT 65 mm I.D., Sec 1 Amp,	DIN	7,290.00
DEFSP-1-2C-T100-F-1	10%-80%, 2 C/O,TAPE WOUND CBCT 100 mm I.D., Sec 1 Amp,	DIN	7,740.00
DEFSP-1-2C-T150-F-1	10%-80%, 2 C/O, TAPE WOUND CBCT 150 mm I.D., Sec 1 Amp,	DIN	8,200.00
DEFSP-1-2C-T200-F-1	10%-80%, 2 C/O,TAPE WOUND CBCT 200 mm I.D., Sec 1 Amp,	DIN	8,650.00
DEFSP-1-2C-T250-F-1	10%-80%, 2 C/O,TAPE WOUND CBCT 250 mm I.D., Sec 1 Amp,	DIN	9,250.00

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

DEFSPL-1-2C-T300-F-110%-80%, 2 C/O,TAPE WOUND CBCT 300 mm I.D., Sec 1 Amp,	DIN	9,710.00
DEFSPL-1-2C-R40-F-1 10%-80%, 2 C/O, RESIN CAST CBCT 40 mm.I.D. , Sec 1 Amp,	DIN	9,710.00
DEFSPL-1-2C-R65-F-1 10%-80%, 2 C/O, RESIN CAST CBCT 65 mm I.D., Sec 1 Amp,	DIN	9,710.00
DEFSPL-1-2C-R100-F-110%-80%, 2 C/O,RESIN CAST CBCT 100 mm I.D., Sec 1 Amp,	DIN	10,160.00
DEFSPL-1-2C-R150-F-110%-80%, 2 C/O, RESIN CAST CBCT 150 mm I.D., Sec 1 Amp,	DIN	10,460.00
DEFSPL-1-2C-R200-F-110%-80%, 2 C/O,RESIN CAST CBCT 200 mm I.D., Sec 1 Amp,	DIN	11,670.00
DEFSPL-1-2C-R250-F-110%-80%, 2 C/O,RESIN CAST CBCT 250 mm I.D., Sec 1 Amp,	DIN	12,120.00
DEFSPL-1-2C-R300-F-110%-80%, 2 C/O,RESIN CAST CBCT 300 mm I.D., Sec 1 Amp,	DIN	12,730.00

- Note :
1. For DC aux.supply - price on request
 2. Mention Aux.Supply required :110 Volts OR 230 Volts OR 380 Volts OR 415 Volts OR 550 Volts AC, 50 HZ
 3. For Flush Mounting Relay , 2 C/O contacts Rs.412.00 extra on the above prices
 4. Rectangular type CBCT can be tailored to customer specification suitable for Bus Bar or Cable entry-PRICE ON REQUEST

	MICROPROCESSOR BASED EARTH FAULT RELAY
	Range : 5 % to 80% with IDMT and DMT chara, with backlite LCD display, 1/5 Amps site seletactable,aux.supply: 85-275 Volts AC/DC

MPEFSPL-2C-F-85-275		6,800.00
DMPEFSPL-2C-F-85-275		8,130.00
	MICROPROCESSOR BASED EARTH FAULT RELAY WITH MOULDED CASE / RESIN CAST CBCT	
MPEFSPL-2C-MC-40-F-85-275	FLUSH	9,800.00
MPEFSPL-2C-MC-65-F-85-275	FLUSH	9,800.00
MPEFSPL-2C-MC-100-F-85-275	FLUSH	10,480.00
MPEFSPL-2C-MC-150-F-85-275	FLUSH	11,160.00
MPEFSPL-2C-MC-200-F-85-275	FLUSH	11,840.00
MPEFSPL-2C-MC-250-F-85-275	FLUSH	12,520.00
MPEFSPL-2C-MC-300-F-85-275	FLUSH	13,190.00
DMPEFSPL-2C-MC-40-D-85-275	DIN	10,930.00
DMPEFSPL-2C-MC-65-D-85-275	DIN	10,930.00
DMPEFSPL-2C-MC-100-D-85-275	DIN	11,620.00
DMPEFSPL-2C-MC-150-D-85-275	DIN	12,290.00
DMPEFSPL-2C-MC-200-D-85-275	DIN	12,980.00
DMPEFSPL-2C-MC-250-D-85-275	DIN	13,880.00
DMPEFSPL-2C-MC-300-D-85-275	DIN	14,550.00
MPEFSPL-2C-RC-40-F-85-275	FLUSH	13,190.00
MPEFSPL-2C-RC-65-F-85-275	FLUSH	13,190.00
MPEFSPL-2C-RC-100-F-85-275	FLUSH	13,880.00
MPEFSPL-2C-RC-150-F-85-275	FLUSH	14,550.00
MPEFSPL-2C-RC-200-F-85-275	FLUSH	16,370.00
MPEFSPL-2C-RC-250-F-85-275	FLUSH	17,050.00
MPEFSPL-2C-RC-300-F-85-275	FLUSH	17,730.00
DMPEFSPL-2C-RC-40-D-85-275	DIN	14,550.00
DMPEFSPL-2C-RC-65-D-85-275	DIN	14,550.00
DMPEFSPL-2C-RC-100-D-85-275	DIN	15,240.00
DMPEFSPL-2C-RC-150-D-85-275	DIN	15,690.00
DMPEFSPL-2C-RC-200-D-85-275	DIN	17,510.00
DMPEFSPL-2C-RC-250-D-85-275	DIN	18,180.00
DMPEFSPL-2C-RC-300-D-85-275	DIN	19,090.00
	Note :For 12 Volts and 24 Volts DC aux.supply price are extra at Rs.1373.00	
	For RS 485 port price are extra at Rs.1373.00	
	Rectangular Size CBCT are available only in MPEL-01 / DMPEL-01 with Tape wound type and PRICE ON REQUEST	

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

AC VOLTAGE RELAY - LVM Series

LVM-11-34-1CS-F	Under & Over Voltage Relay,3 phase 4 wire, 1 C/O Independent Contact	FLUSH	12,990.00
LVM-11-34-2CS-F	Under & Over Voltage Relay,3 phase 4 wire, 2 C/O Independent Contact	FLUSH	13,520.00
LVM-02-34-2C-F	Under Voltage Relay,3 phase 4 wire, 2 C/O contact	FLUSH	8,390.00
LVM-03-34-2C-F	Over Voltage Relay,3 phase 4 wire, 2 C/O contact	FLUSH	8,390.00
LVM-11A-33-1CS-F	Under & Over Voltage Relay,3 phase 3 wire, 1 C/O Independent Contact	FLUSH	12,990.00
LVM-11A-33-2CS-F	Under & Over Voltage Relay,3 phase 3 wire, 2 C/O Independent Contact	FLUSH	13,520.00
LVM-02A-33-2C-F	Under Voltage Relay,3 phase 3 wire, 2 C/O contact	FLUSH	8,390.00
LVM-03A-33-2C-F	Over Voltage Relay,3 phase 3 wire, 2 C/O contact	FLUSH	8,390.00

AC VOLTAGE RELAY - VOLT PRO , VD- Series

VD02-33-41-2C-D	Voltage relay 3 phase 3 wire,415 VAC,2C/O,fixed trip time	DIN	2,610.00
VD02-33-11-2C-D	Voltage relay 3 phase 3 wire,110 VAC,2C/O,fixed trip time	DIN	2,610.00
VD03-33-41-2C-D	Voltage relay 3 phase 3 wire,415 VAC,2C/O,adjustable trip time	DIN	2,880.00
VD03-33-11-2C-D	Voltage relay 3 phase 3 wire,110 VAC,2C/O,adjustable trip time	DIN	2,880.00
VD04-SP-23-2C-D	Single Phase Voltage Relay[160-210 & 240-290 Volts] ,2 C/O.	DIN	2,130.00
VD05-33-41-2C-D	Under Voltage relay 3 phase 3 wire,415 VAC,2C/O,adjustable trip time	DIN	2,610.00
VD05-33-11-2C-D	Under Voltage relay 3 phase 3 wire,110 VAC,2C/O,adjustable trip time	DIN	2,610.00
VD06-33-41-2C-D	Over Voltage relay 3 phase 3 wire,415 VAC,2C/O,adjustable trip time	DIN	2,610.00
VD06-33-11-2C-D	Over Voltage relay 3 phase 3 wire,110 VAC,2C/O,adjustable trip time	DIN	2,610.00

MPVD-09-33-41-2C-D	MICROPROCESSOR BASED VOLTAGE RELAY	DIN	4,260.00
--------------------	------------------------------------	-----	----------

FREQUENCY RELAY

HILO-2C-F	40 to 60 HZ, 2 C/O Independent Contact, aux.supply 85 to 275 Volts AC	FLUSH	11,670.00
-----------	---	-------	-----------

PHASE FAILURE RELAY - PHASE PHEE

PFR-33-41-2C-D	3 Phase 3 Wire, 415 VAC, 2 C/O,aux.supply 415 vac	DIN	1,510.00
PFR-33-11-2C-D	3 Phase 3 Wire, 110 VAC, 2 C/O,aux.supply 110 vac	DIN	1,510.00

MICROPROCESSOR BASED SINGLE ELEMENT OVER CURRENT RELAY		
	Range : 50 % to 200% with IDMT and DMT chara, with backlite LCD display, 1/5 Amps site selecatable, aux.supply of 85-275 Volts AC/DC.	
MPOCSPL-01-2C-F-85-275		6,800.00
DMPOCSPL-01-2C-F-85-275		8,130.00
	Note :For 12 Volts and 24 Volts DC aux.supply price are extra at Rs.1373.00	
	For RS 485 port price are extra at Rs.1373.00	

AUTO POWER FACTOR CORRECTION RELAY

PNF-5-04-F	4 Stage Relay, Sec 5 Amps, Aux.Supply 85 - 275 Volts ,	FLUSH	13,730.00
PNF-5-06-F	6 Stage Relay, Sec 5 Amps, Aux.Supply 85 - 275 Volts ,	FLUSH	15,100.00
PNF-5-08-F	8 Stage Relay, Sec 5 Amps, Aux.Supply 85 - 275 Volts ,	FLUSH	16,480.00
PNF-5-10-F	10 Stage Relay, Sec 5 Amps, Aux.Supply 85 - 275 Volts ,	FLUSH	17,850.00
PNF-5-12-F	12 Stage Relay, Sec 5 Amps, Aux.Supply 85 - 275 Volts ,	FLUSH	19,220.00

NUMERICAL OVER CURRENT & EARTH FAULT RELAY

PNA442-L-1-2011-F	3 O/C & 1 E/ F Relay,Low Set, Sec 1 Amp,aux.supply 20-110	FLUSH	19,220.00
PNA442-L-1-85275-F	3 O/C & 1 E/ F Relay,Low Set, Sec 1 Amp,aux.supply 85-275	FLUSH	19,220.00

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

PNA442-L-5-2011-F	3 O/C & 1 E/ F Relay,Low Set, Sec 5 Amp,aux.supply 20-110	FLUSH	19,220.00
PNA442-L-5-85275-F	3 O/C & 1 E/ F Relay,Low Set, Sec 5 Amp,aux.supply 85-275	FLUSH	19,220.00
PNA442-1-2011-F	3 O/C & 1 E/ F Relay,Low/High Set, Sec 1 Amp,aux. 20-110	FLUSH	24,710.00
PNA442-1-85275-F	3 O/C & 1 E/ F Relay,Low/High Set, Sec 1 Amp,aux. 85-275	FLUSH	24,710.00
PNA442-5-2011-F	3 O/C & 1 E/ F Relay,Low/High Set, Sec 5 Amp,aux. 20-110	FLUSH	24,710.00
PNA442-5-85275-F	3 O/C & 1 E/ F Relay,Low/High Set, Sec 5 Amp,aux. 85-275	FLUSH	24,710.00
PNA422-L-1-2011-F	2 O/C & 1 E/ F Relay,Low Set, Sec 1 Amp,aux.supply 20-110	FLUSH	18,190.00
PNA422-L-1-85275-F	2 O/C & 1 E/ F Relay,Low Set, Sec 1 Amp,aux.supply 85-275	FLUSH	18,190.00
PNA422-L-5-2011-F	2 O/C & 1 E/ F Relay,Low Set, Sec 5 Amp,aux.supply 20-110	FLUSH	18,190.00
PNA422-L-5-85275-F	2 O/C & 1 E/ F Relay,Low Set, Sec 5 Amp,aux.supply 85-275	FLUSH	18,190.00
PNA422-1-2011-F	2 O/C & 1 E/ F Relay,Low/High Set, Sec 1 Amp,aux. 20-110	FLUSH	23,680.00
PNA422-1-85275-F	2 O/C & 1 E/ F Relay,Low/High Set, Sec 1 Amp,aux. 85-275	FLUSH	23,680.00
PNA422-5-2011-F	2 O/C & 1 E/ F Relay,Low/High Set, Sec 5 Amp,aux. 20-110	FLUSH	23,680.00
PNA422-5-85275-F	2 O/C & 1 E/ F Relay,Low/High Set, Sec 5 Amp,aux. 85-275	FLUSH	23,680.00
PNA430-L-1-2011-F	3 Over Current Relay,Low Set, Sec 1 Amp,aux.supply 20-110	FLUSH	18,190.00
PNA430-L-1-85275-F	3 Over Current Relay,Low Set, Sec 1 Amp,aux.supply 85-275	FLUSH	18,190.00
PNA430-L-5-2011-F	3 Over Current Relay,Low Set, Sec 5 Amp,aux.supply 20-110	FLUSH	18,190.00
PNA430-L-5-85275-F	3 Over Current Relay,Low Set, Sec 5 Amp,aux.supply 85-275	FLUSH	18,190.00
PNA430-1-2011-F	3 Over Current Relay,Low/High Set, Sec 1 Amp,aux. 20-110	FLUSH	23,680.00
PNA430-1-85275-F	3 Over Current Relay,Low/High Set, Sec 1 Amp,aux. 85-275	FLUSH	23,680.00
PNA430-5-2011-F	3 Over Current Relay,Low/High Set, Sec 5 Amp,aux. 20-110	FLUSH	23,680.00
PNA430-5-85275-F	3 Over Current Relay,Low/High Set, Sec 5 Amp,aux. 85-275	FLUSH	23,680.00
PNA410-L-1-2011-F	1 Over Current Relay,Low Set, Sec 1 Amp,aux.supply 20-110	FLUSH	15,790.00
PNA410-L-1-85275-F	1 Over Current Relay,Low Set, Sec 1 Amp,aux.supply 85-275	FLUSH	15,790.00
PNA410-L-5-2011-F	1 Over Current Relay,Low Set, Sec 5 Amp,aux.supply 20-110	FLUSH	15,790.00
PNA410-L-5-85275-F	1 Over Current Relay,Low Set, Sec 5 Amp,aux.supply 85-275	FLUSH	15,790.00
PNA410-1-2011-F	1 Over Current Relay,Low/High Set, Sec 1 Amp,aux. 20-110	FLUSH	20,600.00
PNA410-1-85275-F	1 Over Current Relay,Low/High Set, Sec 1 Amp,aux. 85-275	FLUSH	20,600.00
PNA410-5-2011-F	1 Over Current Relay,Low/High Set, Sec 5 Amp,aux. 20-110	FLUSH	20,600.00
PNA410-5-85275-F	1 Over Current Relay,Low/High Set, Sec 5 Amp,aux. 85-275	FLUSH	20,600.00
PNA402-L-1-2011-F	1 Earth Fault Relay,Low Set, Sec 1 Amp,aux.supply 20-110	FLUSH	15,790.00
PNA402-L-1-85275-F	1 Earth Fault Relay,Low Set, Sec 1 Amp,aux.supply 85-275	FLUSH	15,790.00
PNA402-L-5-2011-F	1 Earth Fault Relay,Low Set, Sec 5 Amp,aux.supply 20-110	FLUSH	15,790.00
PNA402-L-5-85275-F	1 Earth Fault Relay,Low Set, Sec 5 Amp,aux.supply 85-275	FLUSH	15,790.00
PNA402-1-2011-F	1 Earth Fault Relay,Low/High Set, Sec 1 Amp,aux. 20-110	FLUSH	20,600.00
PNA402-1-85275-F	1 Earth Fault Relay,Low/High Set, Sec 1 Amp,aux. 85-275	FLUSH	20,600.00
PNA402-5-2011-F	1 Earth Fault Relay,Low/High Set, Sec 5 Amp,aux. 20-110	FLUSH	20,600.00
PNA402-5-85275-F	1 Earth Fault Relay,Low/High Set, Sec 5 Amp,aux. 85-275	FLUSH	20,600.00

NUMERICAL OVER & UNDER VOLTAGE RELAY WITH NEGATIVE PHASE SEQUENCE PROTECTION

PNVNSP-2011-F	aux.supply 20 - 110 volts	FLUSH	19,220.00
PNVNSP-85275-F	Aux.supply 85 - 275 volts	FLUSH	19,220.00

DIGITAL TAP POSITION INDICATOR

TPI-85275-F	1 to 99 steps in step of 1 Kilo Ohms, aux.85-275 volts	FLUSH	2,750.00
-------------	--	-------	----------

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

DIGITAL PANEL METERS

SIZE : 96 MM X 96 MM

PDM9002-1V-WSS-F-96	Single Phase Voltmeter 0-500 volts Line to Line Voltage without S/S	FLUSH	1,170.00
PDM9002A-1V-WSS-F-96	Single Phase Voltmeter 0-300 volts Phase Voltage without S/S	FLUSH	1,170.00
PDM9003-3V-BSS-F-96	Three Phase Voltmeter 0-500 volts RY,YB,BR Voltage,Built in ss	FLUSH	1,650.00
PDM9004-1KV-WSS-F-96	Single Phase Kilo Voltmeter without S/S	FLUSH	1,240.00
PDM9005-3KV-BSS-F-96	Three Phase Kilo Voltmeter RY,YB,BR Voltage,Built in ss	FLUSH	1,650.00
PDM9008-3V-BSS-F-96	Three Phase Voltmeter RY,YB,BR Voltage,Built in ss	FLUSH	1,650.00
PDM9006-1A-5-WSS-F-96	Single Phase Ammeter , Sec 5 Amps without S/S	FLUSH	1,240.00
PDM9006A-1A-5-WSS-F-96	Single Phase Ammeter , Sec 1 Amps without S/S	FLUSH	1,240.00
PDM9007-3A-5-BSS-F-96	Three Phase Ammeter , Sec 5 Amps ,Built in S/S, R,Y,B	FLUSH	1,850.00
PDM9007-3A-1-BSS-F-96	Three Phase Ammeter , Sec 1 Amps ,Built in S/S, R,Y,B	FLUSH	1,850.00
PDM9007KA-3KA-1-BSS-F-96	Three Phase Kilo Ammeter , Sec 1 Amps ,Built in S/S, R,Y,B	FLUSH	1,850.00
PDM9014-F-F-96	Frequency Meter	FLUSH	1,300.00
PDM9015A-33-KWPF-F-96	3 Phase 3 Wire KW /PF Meter	FLUSH	5,840.00
PDM9016A-33-KW-F-96	3 Phase 3 Wire KW Meter	FLUSH	3,980.00
PDM9018A-33-PF-F-96	3 Phase 3 Wire PF Meter	FLUSH	3,980.00
PDM9019A-33-MW-F-96	3 Phase 3 Wire MW Meter	FLUSH	3,980.00
PDM9020A-33-MWPF-F-96	3 Phase 3 Wire MW /PF Meter	FLUSH	5,840.00
PDM9015-34-KWPF-F-96	3 Phase 4 Wire KW /PF Meter	FLUSH	6,180.00
PDM9016-34-KW-F-96	3 Phase 4 Wire KW Meter	FLUSH	4,670.00
PDM9018-34-PF-F-96	3 Phase 4 Wire PF Meter	FLUSH	4,670.00
PDM9019-34-MW-F-96	3 Phase 4 Wire MW Meter	FLUSH	4,670.00
PDM9020-34-MWPF-F-96	3 Phase 4 Wire MW /PF Meter	FLUSH	6,180.00
PDM9022-34-KWH-CT-5-F-96	3 Phase 4 Wire,Counter Type KWH Meter , Sec 5 Amps	FLUSH	3,160.00
PDM9022A-33-KWH-CT-5-F-96	3 Phase 3 Wire,Counter Type KWH Meter , Sec 5 Amps	FLUSH	3,160.00
PDM9022-34-KWH-CT-1-F-96	3 Phase 4 Wire,Counter Type KWH Meter , Sec 1 Amps	FLUSH	3,160.00
PDM9022A-33-KWH-CT-1-F-96	3 Phase 3 Wire,Counter Type KWH Meter , Sec 1 Amps	FLUSH	3,160.00
PDM9023-34-KWH-LCD-5-F-96	3 Phase 4 Wire,LCD Display KWH Meter , Sec 5 Amps	FLUSH	4,390.00
PDM9023A-33-KWH-LCD-5-F-96	3 Phase 3 Wire,LCD Display KWH Meter , Sec 5 Amps	FLUSH	4,390.00
PDM9023-34-KWH-LCD-1-F-96	3 Phase 4 Wire,LCD Display KWH Meter , Sec 1 Amps	FLUSH	4,390.00
PDM9023A-33-KWH-LCD-1-F-96	3 Phase 3 Wire,LCD Display KWH Meter , Sec 1 Amps	FLUSH	4,390.00
PDM9025-34-DKWH-LCD-5-F-96	3phase 4 wire Dual KWH Meter, LCD Display , Sec 5 Amps	FLUSH	5,220.00
PDM9025-33-DKWH-LCD-5-F-96	3phase 3 wire Dual KWH Meter, LCD Display , Sec 5 Amps	FLUSH	5,220.00
PDM9025-34-DKWH-LCD-1-F-96	3phase 4 wire Dual KWH Meter, LCD Display , Sec 1 Amps	FLUSH	5,220.00
PDM9025-33-DKWH-LCD-1-F-96	3phase 3 wire Dual KWH Meter, LCD Display , Sec 1 Amps	FLUSH	5,220.00
PDM9025-34-DKWH-LCD-5-F-96-RS	3phase 4 wire Dual KWH Meter, LCD Display , Sec 5 Amps,with RS 485	FLUSH	5,770.00
PDM9025-33-DKWH-LCD-5-F-96-RS	3phase 3 wire Dual KWH Meter, LCD Display , Sec 5 Amps,with RS 485	FLUSH	5,770.00
PDM9025-34-DKWH-LCD-1-F-96-RS	3phase 4 wire Dual KWH Meter, LCD Display , Sec 1 Amps,with RS 485	FLUSH	5,770.00
PDM9025-33-DKWH-LCD-1-F-96-RS	3phase 3 wire Dual KWH Meter, LCD Display , Sec 1 Amps,with RS 485	FLUSH	5,770.00

SIZE : 144 MM X 144 MM

PDM9002-1V-WSS-F-144	Single Phase Voltmeter 0-500 volts Line to Line Voltage without S/S	FLUSH	2,200.00
PDM9002A-1V-WSS-F-144	Single Phase Voltmeter 0-300 volts Phase Voltage without S/S	FLUSH	2,200.00
PDM9003-3V-BSS-F-144	Three Phase Voltmeter 0-500 volts RY,YB,BR Voltage,Built in ss	FLUSH	2,680.00
PDM9004-1KV-WSS-F-144	Single Phase Kilo Voltmeter without S/S	FLUSH	2,200.00
PDM9005-3KV-BSS-F-144	Three Phase Kilo Voltmeter RY,YB,BR Voltage,Built in ss	FLUSH	2,680.00
PDM9008-3V-BSS-F-144	Three Phase Voltmeter RY,YB,BR Voltage,Built in ss	FLUSH	2,680.00
PDM9006-1A-5-WSS-F-144	Single Phase Ammeter , Sec 5 Amps without S/S	FLUSH	2,270.00
PDM9006A-1A-5-WSS-F-144	Single Phase Ammeter , Sec 1 Amps without S/S	FLUSH	2,270.00
PDM9007-3A-5-BSS-F-144	Three Phase Ammeter , Sec 5 Amps ,Built in S/S, R,Y,B	FLUSH	2,880.00
PDM9007-3A-1-BSS-F-144	Three Phase Ammeter , Sec 1 Amps ,Built in S/S, R,Y,B	FLUSH	2,880.00
PDM9007KA-3KA-1-BSS-F-144	Three Phase Kilo Ammeter , Sec 1 Amps ,Built in S/S, R,Y,B	FLUSH	2,880.00
PDM9014-F-F-144	Frequency Meter	FLUSH	2,330.00
PDM9015A-33-KWPF-F-144	3 Phase 3 Wire KW /PF Meter	FLUSH	6,870.00
PDM9016A-33-KW-F-144	3 Phase 3 Wire KW Meter	FLUSH	5,010.00
PDM9018A-33-PF-F-144	3 Phase 3 Wire PF Meter	FLUSH	5,010.00
PDM9019A-33-MW-F-144	3 Phase 3 Wire MW Meter	FLUSH	5,010.00
PDM9020A-33-MWPF-F-144	3 Phase 3 Wire MW /PF Meter	FLUSH	6,870.00

Bipinkumar Electric Corporation

14 Tavawala Building, 36 Pathak Wadi, Lohar Chawl, Mumbai 400002.

email : bipinkumar@vsnl.com * Tel # 22082185 / 1684 * Fax # 22062745

PDM9015-34-KWPF-F-144	3 Phase 4 Wire KW /PF Meter	FLUSH	7,210.00
PDM9016-34-KW-F-144	3 Phase 4 Wire KW Meter	FLUSH	5,700.00
PDM9018-34-PF-F-144	3 Phase 4 Wire PF Meter	FLUSH	5,700.00
PDM9019-34-MW-F-144	3 Phase 4 Wire MW Meter	FLUSH	5,680.00
PDM9020-34-MWPF-F-144	3 Phase 4 Wire MW /PF Meter	FLUSH	7,210.00
PDM9022-34-KWH-CT-5-F-144	3 Phase 4 Wire,Counter Type KWH Meter , Sec 5 Amps	FLUSH	4,190.00
PDM9022A-33-KWH-CT-5-F-144	3 Phase 3 Wire,Counter Type KWH Meter , Sec 5 Amps	FLUSH	4,190.00
PDM9022-34-KWH-CT-1-F-144	3 Phase 4 Wire,Counter Type KWH Meter , Sec 1 Amps	FLUSH	4,190.00
PDM9022A-33-KWH-CT-1-F-144	3 Phase 3 Wire,Counter Type KWH Meter , Sec 1 Amps	FLUSH	4,190.00
PDM9023-34-KWH-LCD-5-F-144	3 Phase 4 Wire,LCD Display KWH Meter , Sec 5 Amps	FLUSH	5,420.00
PDM9023A-33-KWH-LCD-5-F-144	3 Phase 3 Wire,LCD Display KWH Meter , Sec 5 Amps	FLUSH	5,420.00
PDM9023-34-KWH-LCD-1-F-144	3 Phase 4 Wire,LCD Display KWH Meter , Sec 1 Amps	FLUSH	5,420.00
PDM9023A-33-KWH-LCD-1-F-144	3 Phase 3 Wire,LCD Display KWH Meter , Sec 1 Amps	FLUSH	5,420.00
PDM9025-34-DKWH-LCD-5-F-144	3phase 4 wire Dual KWH Meter, LCD Display , Sec 5 Amps	FLUSH	6,250.00
PDM9025-33-DKWH-LCD-5-F-144	3phase 3 wire Dual KWH Meter, LCD Display , Sec 5 Amps	FLUSH	6,250.00
PDM9025-34-DKWH-LCD-1-F-144	3phase 4 wire Dual KWH Meter, LCD Display , Sec 1 Amps	FLUSH	6,250.00
PDM9025-33-DKWH-LCD-1-F-144	3phase 3 wire Dual KWH Meter, LCD Display , Sec 1 Amps	FLUSH	6,250.00
PDM9025-34-DKWH-LCD-5-F-144-RS	3phase 4 wire Dual KWH Meter, LCD Display , Sec 5 Amps,with RS 485	FLUSH	6,800.00
PDM9025-33-DKWH-LCD-5-F-144-RS	3phase 3 wire Dual KWH Meter, LCD Display , Sec 5 Amps,with RS 485	FLUSH	6,800.00
PDM9025-34-DKWH-LCD-1-F-144-RS	3phase 4 wire Dual KWH Meter, LCD Display , Sec 1 Amps,with RS 485	FLUSH	6,800.00
PDM9025-33-DKWH-LCD-1-F-144-RS	3phase 3 wire Dual KWH Meter, LCD Display , Sec 1 Amps,with RS 485	FLUSH	6,800.00

MICRO PROCESSOR BASED V.A.F. METERS, with backlit LCD Display, in 96 mm x 96 mm in dimension with Built-in Selector Switches

PDM 9030	Voltage , Current and Frequency	FLUSH	4,940.00
PDM 9030 VF	Voltage and Frequency	FLUSH	4,120.00
PDM 9030 CF	Current and Frequency	FLUSH	4,120.00

AUTO SOURCE CHANGEOVER CUM CURRENT LIMITER			
PACCL-1020	Single Phase 30 Amps EB - 0.5-20Amps DG	DIN	2,200.00
PACCL-1040	Single Phase 40 Amps EB - 25-40Amps DG	FRAME-1	16,480.00
PACCL-1060	Single Phase 63 Amps EB - 1-63Amps DG	FRAME-2	19,220.00
PACCL-3016	Three Phase 16 Amps EB - Three Phase 1-16 Amps DG	FRAME-1	11,260.00
PACCL-3025	Three Phase 25 Amps EB - Three Phase 1-25 Amps DG	FRAME-1	12,360.00
PACCL-3040	Three Phase 40 Amps EB - Three Phase 1-40 Amps DG	FRAME-1	16,480.00
PACCL-3063	Three Phase 63 Amps EB - Three Phase 1-63 Amps DG	FRAME-2	21,970.00
PACCL-3116	Three Phase 16 Amps EB - Single Phase 1-16 Amps DG	FRAME-1	11,260.00
PACCL-3125	Three Phase 25 Amps EB - Single Phase 1-25 Amps DG	FRAME-1	12,360.00
PACCL-3140	Three Phase 40 Amps EB - Single Phase 1-40 Amps DG	FRAME-1	16,480.00
PACCL-3163	Three Phase 63 Amps EB - Single Phase 1-63 Amps DG	FRAME-2	21,970.00

BATTERY CHARGERS / SWITCH MODE POWER SUPPLIES

FRAME - 1 , TYPE NUMBER

PDBC -9000	Input Voltage 90 Volts to 270 Volts AC, Output Voltage 12 Volts DC, 2 Amps	5,290.00
PDBC -9001	Input Voltage 90 Volts to 270 Volts AC, Output Voltage 12 Volts DC, 5 Amps	5,290.00
PDBC -9002	Input Voltage 90 Volts to 270 Volts AC, Output Voltage 12 Volts DC, 10 Amps	5,840.00
PDBC -9003	Input Voltage 90 Volts to 270 Volts AC, Output Voltage 24 Volts DC, 2 Amps	5,290.00
PDBC -9004	Input Voltage 90 Volts to 270 Volts AC, Output Voltage 24 Volts DC, 5 Amps	6,110.00
PDBC -9005	Input Voltage 90 Volts to 270 Volts AC, Output Voltage 30 Volts DC, 4 Amps	6,110.00
PDBC-9006	Input Voltage 90 Volts to 270 Volts AC, Output Voltage 110 Volts DC, 1.2 Amps	6,110.00

FRAME - 2 , TYPE NUMBER

PDBC -9007	Input Voltage 160 Volts to 270 Volts AC, Output Voltage 24 Volts DC, 10 Amps	9,610.00
PDBC -9008	Input Voltage 160 Volts to 270 Volts AC, Output Voltage 12 Volts DC, 15 Amps	9,270.00
PDBC -9009	Input Voltage 160 Volts to 270 Volts AC, Output Voltage 12 Volts DC, 20 Amps	9,610.00
PDBC -9010	Input Voltage 160 Volts to 270 Volts AC, Output Voltage 30 Volts DC, 8 Amps	9,610.00

FRAME - 3 , TYPE NUMBER

PDBC -9011	Input Voltage 160 Volts to 270 Volts AC, Output Voltage 24 Volts DC, 15 Amps	16,890.00
PDBC -9012	Input Voltage 160 Volts to 270 Volts AC, Output Voltage 24 Volts DC, 20 Amps	17,570.00